



Reassessment of Property Drainage Charges— Guide to Submitting a Request





Reassessment of Property Drainage Charges- Submitting a Request


Document Overview

From 1 April 2020 it will be possible for area based property drainage charges to apply in situations where the only part of a premises that drains surface water to the Public Sewerage System is connected for environmental protection reasons. Area based property drainage charges will apply from the later of the:

- start of the financial year in which Scottish Water is notified of a qualifying premises and
- date when the drainage arrangements were revised.

This step by step guide explains how to submit a request for Reassessment of Property Drainage charges via the Deregistration form (Form O) on the LP Customer Portal.


1. To access the form on the <u>LP Customer Portal</u>, select **CMA Data Amendment** from the drop down menu on the **Request** tab.








2. Click on the spy glass in the Service Reason field




3. Choose **Deregistration** and click **Select**








4. Provide the SPID details relevant to your request.




5. Complete the **Contact Details** section and for **Reason for the Request** select the option for **Reassessment** of **Property Drainage**.







- **6.** Complete the free-text fields for Scottish Water service request reference number (when available), LP request summary or any additional supporting information relevant to your request, **Save** and **Continue**
- 7. Choose a Purpose of Request from the dropdown menu.



- 8. Please note that the Reassessment Request form is Dynamic and will display the following fields depending on your choice above.
 - a) Request to base Property Drainage charges on surface area rather than rateable value
 - 1. What is the surface area (m2) of the premises (approx)?
 - 2. What surface area of the premises (m2) drains to the Public Sewerage System (approx)?
 - 3. What is the area draining to the Public Sewerage System used for:
 - 4. Details of environmental protection regulations which require this area to drain to the Public Sewerage System:
 - 5. Details of available alternate discharge arrangements which would be used to deal with surface water from this area if environmental protection regulations did not apply:
 - 6. If the Supply Point is part of a multi-tenancy premises, does the occupier of the Supply Point have exclusive access to the area draining to the Public Sewerage System:

b) Request to change existing surface area (m2)

- 1. Previous surface area draining to Public Sewerage System (m2):
- 2. New surface area draining to Public Sewerage System (m2):
- 3. Please provide details of the changes that have been made to drainage arrangements, resulting in a change to the surface area draining to the Public Sewerage System:
- 4. Date of completion of changes to drainage arrangements:





- 9. Before you submit the request you can provide any additional supporting information you didn't include before.
- 10. You'll be required to acknowledge the LP Declaration after which the form is ready for **Submission**.

